

EXIOS +Standard INOX

Item number 1605120270



Technical data

| | |
|----------------------|--|
| Material | INOX 1.4404 |
| Seal | VMQ (silicone) |
| Material o-ring | VMQ (silicone) |
| Clamping insert | Polyamide 6 |
| Armour | Metallic armour or screen |
| Protection class | IP 66 , IP 67 , IP 68 - 5bar/30min |
| Ex-protection level | Class I Div 2 Groups A,B,C,D , Class II Div 1 Groups E,F,G , II 1D Ex ta IIIC Da |
| Temperature range | -60 °C to +105 °C |
| Variant | NPT |
| External thread (AG) | NPT 1/2" |
| Size | 20-2 |
| A1 | 9 - 16 mm |
| A2 | 6 - 12 mm |
| Thread length (GL) | 20 mm |
| Height (H) | 74.3 mm |



EXIOS +Standard INOX

Item number 1605120270

| | |
|---------------------------|---------------|
| Wrench size (SW1/SW2) | 24/24 mm |
| D | 29 mm |
| Armouring clamping ring 1 | 0 - 0,7 mm |
| Armouring clamping ring 2 | 0,7 - 1,25 mm |
| Tightening torque | 8 Nm |

EXIOS +Standard INOX

Item number 1605120270

Commercial data

| | |
|-----------------------|---------------|
| Packaging Unit | 10 |
| EAN code | 4033878427361 |
| Weight | 0.185 kg |
| ETIM 7 | EC000441 |
| ETIM 8 | EC000441 |
| ETIM 9 | EC000441 |
| eCl@ss 10.1 | 27-14-44-34 |
| Customs tariff number | 73269098 |

Note:

