


EXIOS +Barrier nickel plated brass

Item number 1606200352



Technical data

| | |
|-----------------------------|--|
| Material | Nickel-plated brass |
| Seal | VMQ (silicone) |
| Material o-ring | VMQ (silicone) |
| Clamping insert | Polyamide 6 |
| Armour | Metallic armour or screen |
| Compound | Two-component epoxy compound |
| Protection class | IP 66 , IP 67 , IP 68 - 5bar/30min |
| Ex-protection level | Class I Div 2 Groups A,B,C,D , Class II Div 1 Groups E,F,G , I M2 Ex de , I M2 Ex ta IIIC Da , I Mb IIC Gb |
| Temperature range | -60°C to +85°C |
| Variant | Metric |
| External thread (AG) | M20 x 1,5 |
| Size | 20-3 |
| A1 | 12,5 - 20,5 mm |
| max. A2 | 14 mm |
| max. A3 | 11,5 mm |

EXIOS +Barrier nickel plated brass

Item number 1606200352

| | |
|---------------------------|--------------|
| Thread length (GL) | 16 mm |
| Height (H) | 73 mm |
| Wrench size (SW1/SW2) | 30/30 mm |
| D | 35 mm |
| max. No. cores | 15 |
| Armouring clamping ring 1 | 0 - 0,7 mm |
| Armouring clamping ring 2 | 0,7 - 1,4 mm |
| Tightening torque | 12 Nm |

EXIOS +Barrier nickel plated brass

Item number 1606200352

Commercial data

| | |
|-----------------------|---------------|
| Packaging Unit | 10 |
| EAN code | 4033878428160 |
| Weight | 0.27 kg |
| ETIM 7 | EC000441 |
| ETIM 8 | EC000441 |
| ETIM 9 | EC000441 |
| eCl@ss 10.1 | 27-14-44-34 |
| Customs tariff number | 74198090 |

Note:

