


EXIOS +A2F INOX

Item number 1608500250



Technical data

| | |
|-----------------------|---|
| Material | INOX 1.4404 |
| Seal | VMQ (silicone) |
| Material o-ring | VMQ (silicone) |
| Clamping insert | Polyamide 6 |
| Protection class | IP 66 , IP 67 , IP 68 - 5bar/30min |
| Ex-protection level | Class I Div 2 Groups A,B,C,D , Class II Div 1 Groups E,F,G , II 1D Ex ta IIC Da , II 2G Ex db eb IIC Gb |
| Temperature range | -60°C to +105°C |
| Variant | Metric |
| External thread (AG) | M50 x 1,5 |
| Size | 40 |
| A1 | 28 - 41 mm |
| Thread length (GL) | 16 mm |
| Height (H) | 56.8 mm |
| Wrench size (SW1/SW2) | 55/55 mm |
| D | 64 mm |

EXIOS +A2F INOX

Item number 1608500250

Tightening torque 50 Nm



Dimensions and specifications may be changed without prior notice



www.hummel.com

EXIOS +A2F INOX

Item number 1608500250

Commercial data

| | |
|-----------------------|---------------|
| Packaging Unit | 1 |
| EAN code | 4033878429068 |
| Weight | 0.46918 kg |
| ETIM 7 | EC000441 |
| ETIM 8 | EC000441 |
| ETIM 9 | EC000441 |
| Customs tariff number | 73269098 |

Note:

