



# Contact insert M23 Signal - 12-pole

Item number 7003912111



## Technical data

Characteristic of connection	Crimp
Number of poles	12
Pole picture	11 + PE (Pos.9)
Coding	Pos. 9 PE
	Pinout clockwise
Insert	Pin
Color contact insert	white
Material insulating body	PA 6 , PBT
Number of contacts signal	12
Number of contacts PE	1
Contact-Ø signal	1 mm
Terminal cross section signal	0,08 - 1,5 mm <sup>2</sup>
Nominal current signal	8 A
Nominal voltage at degree of pollution 3 signal	200 V <sup>~</sup>
Test voltage signal	1500 V <sup>~</sup>

# Contact insert M23 Signal - 12-pole

Item number 7003912111

Insulation resistance signal	> 10 <sup>8</sup>
max. contact resistance signal	3 mOhm
Temperature range	-40°C to +125°C
Degree of Protection	3
Flammability	V-0 (UL 94)

# Contact insert M23 Signal - 12-pole

Item number 7003912111

## Commercial data

Packaging Unit	25
EAN code	4033878501375
Weight	0.005 kg
ETIM 7	EC003557
ETIM 8	EC003557
ETIM 9	EC003557
eCl@ss 10.1	27440223
Customs tariff number	85469010

Note:

