



Contact insert M23 Signal - 19-pole

Item number 7003919111



Technical data

| | |
|------------------------------|--------------------------|
| Characteristic of connection | Crimp |
| Number of poles | 19 |
| Pole picture | 18 + PE (Pos. 12) |
| Coding | Pos. 12 PE |
| | Pinout clockwise |
| Insert | Pin |
| Color contact insert | white |
| Material insulating body | PA 6 , PBT |
| Number of contacts signal | 16 |
| Number of contacts power | 3 |
| Contact-Ø signal | 1 mm |
| Contact-Ø power | 1.5 mm |
| Terminal cross section power | 0,14 - 1 mm ² |
| Nominal current signal | 8 A |
| Nominal current power | 10 A |

Contact insert M23 Signal - 19-pole

Item number 7003919111

| | |
|---|-------------------|
| Nominal voltage at degree of pollution 3 signal | 110 V~ |
| Nominal voltage at degree of pollution 3 power | 110 V~ |
| Test voltage signal | 840 V~ |
| Test voltage power | 840 V~ |
| Insulation resistance signal | > 10 ⁸ |
| Insulation resistance power | > 10 ⁸ |
| max. contact resistance signal | 3 mOhm |
| max. contact resistance power | 3 mOhm |
| Temperature range | -40°C to +125°C |
| Degree of Protection | 3 |
| Flammability | V-0 (UL 94) |

Contact insert M23 Signal - 19-pole

Item number 7003919111

Commercial data

| | |
|-----------------------|---------------|
| Packaging Unit | 25 |
| EAN code | 4033878501450 |
| Weight | 0.00399 kg |
| ETIM 7 | EC003557 |
| ETIM 8 | EC003557 |
| ETIM 9 | EC003557 |
| eCl@ss 10.1 | 27440223 |
| Customs tariff number | 85469010 |

Note:

