


Contact insert M23 Profinet

Item number 7003920101



Technical data

Characteristic of connection	Crimp
Number of poles	20
Pole picture	4 x 2 + 12
Insert	Pin
Color contact insert	white
Material insulating body	PA 6 , PBT
Number of contacts data	4 x 2
Number of contacts signal	12
Contact-Ø data	0.6 mm
Contact-Ø signal	1 mm
Nominal current data	2 A
Nominal current signal	8 A
Nominal voltage at degree of pollution 3 data	60 V~
Nominal voltage at degree of pollution 3 signal	160 V~

Contact insert M23 Profinet

Item number 7003920101

Test voltage data	400 V~
Test voltage signal	840 V~
Insulation resistance data	$> 10^8$
Insulation resistance signal	$> 10^8$
max. contact resistance data	3 mOhm
max. contact resistance signal	3 mOhm
Temperature range	-40°C to +125°C
Degree of Protection	3
Flammability	V-0 (UL 94)
Suitable data contacts	7010980641
Suitable Signal contacts	7010901045 , 7010901049

Contact insert M23 Profinet

Item number 7003920101

Commercial data

Packaging Unit	5
EAN code	4033878501474
Weight	0.01722 kg
ETIM 7	EC003557
ETIM 8	EC003557
ETIM 9	EC003557
eCl@ss 10.1	27440223
Customs tariff number	85472000

Note:

