


# Contact insert M23 Profinet

Item number 7003920102



## Technical data

<b>Characteristic of connection</b>	Crimp
<b>Number of poles</b>	20
<b>Pole picture</b>	4 x 2 + 12
<b>Insert</b>	Socket
<b>Color contact insert</b>	white
<b>Material insulating body</b>	PA 6 , PBT
<b>Number of contacts data</b>	4 x 2
<b>Number of contacts signal</b>	12
<b>Contact-Ø data</b>	0.6 mm
<b>Contact-Ø signal</b>	1 mm
<b>Nominal current data</b>	2 A
<b>Nominal current signal</b>	8 A
<b>Nominal voltage at degree of pollution 3 data</b>	60 V~
<b>Nominal voltage at degree of pollution 3 signal</b>	160 V~
<b>Test voltage data</b>	400 V~

# Contact insert M23 Profinet

Item number 7003920102

<b>Test voltage signal</b>	840 V~
<b>Insulation resistance data</b>	> 10 <sup>8</sup> Ω
<b>Insulation resistance signal</b>	> 10 <sup>8</sup> Ω
<b>max. contact resistance data</b>	3 mOhm
<b>max. contact resistance signal</b>	3 mOhm
<b>Temperature range</b>	-40°C to +125°C
<b>Degree of Protection</b>	3
<b>Flammability</b>	V-0 (UL 94)
<b>Suitable data contacts</b>	7010980602
<b>Suitable Signal contacts</b>	7010901002 , 7010901012 , 7010901022

# Contact insert M23 Profinet

Item number 7003920102

## Commercial data

<b>Packaging Unit</b>	5
<b>EAN code</b>	4033878501481
<b>Weight</b>	0.01598 kg
<b>ETIM 7</b>	EC003557
<b>ETIM 8</b>	EC003557
<b>ETIM 9</b>	EC003557
<b>eCl@ss 10.1</b>	27440223
<b>Customs tariff number</b>	85472000

## Note:

