


# Contact insert M27 Signal - 26-pole

Item number 7003926101



## Technical data

Characteristic of connection	Crimp
Number of poles	26
Pole picture	26
	Pinout clockwise
Insert	Pin
Color contact insert	white
Material Ethernet insert	-
Material insulating body	PA 6 , PBT
Number of contacts signal	26
Contact-Ø signal	1 mm
Nominal current signal	8 A
Nominal voltage at degree of pollution 3 signal	74 V~
Test voltage signal	840 V~
Insulation resistance data	-
Insulation resistance signal	> 10 <sup>8</sup>

# Contact insert M27 Signal - 26-pole

Item number 7003926101

<b>Insulation resistance power</b>	-
<b>max. contact resistance signal</b>	3 mOhm
<b>Temperature range</b>	-40°C to +125°C
<b>Degree of Protection</b>	3
<b>Flammability</b>	V-0 (UL 94)
<b>Suitable Signal contacts</b>	7010971001

# Contact insert M27 Signal - 26-pole

Item number 7003926101

## Commercial data

Packaging Unit	10
EAN code	4033878501498
Weight	0.0022 kg
ETIM 7	EC003557
ETIM 8	EC003557
ETIM 9	EC003557
eCl@ss 10.1	27440223
Customs tariff number	85469010

Note:

