



# Contact insert M23 Signal - 12-pole

Item number 7004912112



## Technical data

Characteristic of connection	Crimp
Number of poles	12
Pole picture	11 + PE (Pos.9)
Coding	Pos. 9 PE
	Pinout counter-clockwise
Insert	Socket
Color contact insert	white
Material insulating body	PA 6 , PBT
Number of contacts signal	12
Contact-Ø signal	1 mm
Terminal cross section signal	0,08 - 1,5 mm <sup>2</sup>
Nominal current signal	8 A
Nominal voltage at degree of pollution 3 signal	200 V <sup>~</sup>
Test voltage signal	1500 V <sup>~</sup>
Insulation resistance signal	> 10 <sup>8</sup>

# Contact insert M23 Signal - 12-pole

Item number 7004912112

<b>max. contact resistance signal</b>	3 mOhm
<b>Temperature range</b>	-40°C to +125°C
<b>Degree of Protection</b>	3
<b>Flammability</b>	V-0 (UL 94)

# Contact insert M23 Signal - 12-pole

Item number 7004912112

## Commercial data

Packaging Unit	25
EAN code	4033878501658
Weight	0.06055 kg
ETIM 7	EC003557
ETIM 8	EC003557
ETIM 9	EC003557
eCl@ss 10.1	27440223
Customs tariff number	85472000

Note:

