



Contact insert M23 Power - 9-pole

Item number 7084953101



Technical data

Characteristic of connection	Crimp
Number of poles	9
Pole picture	5 + 3 + PE
Insert	Pin
Color contact insert	blue
Material insulating body	PBT
Number of contacts signal	5
Number of contacts power	3
Contact-Ø signal	2 mm
Contact-Ø power	1 mm
Terminal cross section signal	0,75 - 4 mm ²
Terminal cross section power	0,75 - 4 mm ²
Nominal current signal	8 A
Nominal current power	30 A
Nominal voltage at degree of pollution 3 signal	160 V~

Contact insert M23 Power - 9-pole

Item number 7084953101

Nominal voltage at degree of pollution 3 power	600 V~
Test voltage signal	2500 V~
Test voltage power	4000 V~
Insulation resistance signal	$> 10^{13}$
Insulation resistance power	$> 10^{13}$
max. contact resistance signal	3 mOhm
max. contact resistance power	3 mOhm
Temperature range	-40°C to +125°C
Degree of Protection	3
Flammability	V-0 (UL 94)



Contact insert M23 Power - 9-pole

Item number 7084953101

Commercial data

Packaging Unit	25
EAN code	4033878502839
Weight	0.00714 kg
ETIM 7	EC003557
ETIM 8	EC003557
ETIM 9	EC003557
eCl@ss 10.1	27440223
Customs tariff number	85469010

Note:



Dimensions and specifications may be changed without prior notice

www.hummel.com