



Contact insert M23 Power - 9-pole

Item number 7084953102



Technical data

Characteristic of connection	Crimp
Number of poles	9
Pole picture	5 + 3 + PE
Coding	5, 6, 7, 8, 9, PE, U1, V1, W1
Insert	Socket
Color contact insert	blue
Material insulating body	PA 6, PBT
Number of contacts signal	5
Number of contacts power	3
Contact-Ø signal	1 mm
Contact-Ø power	2 mm
Terminal cross section signal	0,75 - 4 mm ²
Terminal cross section power	0,75 - 4 mm ²
Nominal current signal	8 A
Nominal current power	28 A

Contact insert M23 Power - 9-pole

Item number 7084953102

Nominal voltage at degree of pollution 3 signal	160 V~
Nominal voltage at degree of pollution 3 power	600 V~
Test voltage signal	2500 V~
Test voltage power	4000 V~
Insulation resistance signal	> 10 ¹³
Insulation resistance power	> 10 ¹³
max. contact resistance signal	3 mOhm
max. contact resistance power	3 mOhm
Temperature range	-40°C to +125°C
Degree of Protection	3
Flammability	V-0 (UL 94)

Contact insert M23 Power - 9-pole

Item number 7084953102

Commercial data

Packaging Unit	25
EAN code	4033878502846
Weight	0.00714 kg
ETIM 7	EC003557
ETIM 8	EC003557
ETIM 9	EC003557
eCl@ss 10.1	27440223
Customs tariff number	85469010

Note:

