


Item number 7084954101



Ansicht: Steckseite
View: mating side

Technical data

Characteristic of connection	Crimp
Number of poles	13
Pole picture	4 + 4 + 4 + PE
Coding	PE
Insert	Pin
Color Ethernet insert	white
Color contact insert	blue
Material Ethernet insert	PBT
Material insulating body	PBT
Number of contacts data	4
Number of contacts signal	4
Number of contacts power	4
Number of contacts PE	1
Contact-Ø data	0.8 mm
Contact-Ø signal	1 mm
Contact-Ø power	2 mm



Item number 7084954101

Nominal current signal	8 A
Nominal current power	28 A
Nominal voltage at degree of pollution 3 signal	50 V~
Nominal voltage at degree of pollution 3 power	600 V~
Insulation resistance data	10 ⁸
Insulation resistance signal	10 ⁸
Insulation resistance power	10 ⁸
max. contact resistance data	3 mOhm
max. contact resistance signal	3 mOhm
max. contact resistance power	3 mOhm
Temperature range	-40°C to +125°C
Degree of Protection	3
Suitable data contacts	7010940801
Suitable Signal contacts	7015961001 , 7015961011
Suitable power contacts	7010942021 , 7010942023
Suitable PE-/FE-contacts	7010942021 , 7010942023



Item number 7084954101

Commercial data

Packaging Unit	25
Weight	0.00937 kg
ETIM 7	EC003557
ETIM 8	EC003557
ETIM 9	EC003557
Customs tariff number	85366990

Note:



Dimensions and specifications may be changed without prior notice

www.hummel.com