


Housing TWILOCK panel connector M23

Power angled rotatable

Item number 7639000010



Technical data

Housing type	Panel angled
Material housing	Zinc Die Cast
Material housing surface	Nickel
Version	right angled , TWILOCK
External thread plug-in side	M23 x 1
Locking type	Screw
Shield	unshielded
Seal type	O-Ring
Material seals/o-rings	FKM (FPM)
Rotatable	330 °
Panel hole	Ø 20 + 0,1 mm
Flange	25,6 x 25,6 mm
Hole distance	19.8 mm
Hole diameter	4 x Ø 3,2 mm
Length (L)	57.3 mm
Protection class	IP 67 , IP 69 K

Housing TWILOCK panel connector M23

Power angled rotatable

Item number 7639000010

Temperature range	-40 °C to +125 °C
suitable contact inserts	7084909101 , 7084909102 , 7084910101 , 7084910102 , 7084943121 , 7084943122 , 7084944101 , 7084944102 , 7084951121 , 7084951122 , 7084953101 , 7084953102

Housing TWILOCK panel connector M23

Power angled rotatable

Item number 7639000010

Commercial data

Packaging Unit	20
EAN code	4033878007792
Weight	0.10194 kg
ETIM 7	EC003556
ETIM 8	EC003556
ETIM 9	EC003556
Customs tariff number	85366990

Note:

