

Hummel AG

Lise-Meitner-Straße 2, D-79211 Denzlingen
Telefon: ++49/(0)7666-91110-0
Telefax: ++49/(0)7666-91110-20
Info@hummel.com
www.hummel.com



UK Declaration of Conformity

product name: **Cable Glands**
type: **KV-Ms-Ex, HSK-M-Ex M20x1,5
HSK-INOX-Ex M20x1,5**



Complying the UK-legislation:

Equipment and Protective Systems Intended for use in Potentially Explosive Atmospheres Regulations 2016

Certified in EU-Type Examination certificate:

BVS 15 ATEX E 051 X

Issued by:

DEKRA Testing and Certification GmbH
Dinnendahlstraße 9
D-44809 Bochum
EU-Notified Body 0158

Marking of the Ex-Products:



Following standards re applied:

EN IEC 60079-0:2018	Explosive atmospheres – Part 0: Equipment – General requirements
EN IEC 60079-7:2015 +A1:2018	Explosive atmospheres – Part 7: Equipment protection by increased safety "e" Exception: labeling on the product with "e" equates to "eb"
EN 60079-31:2014	Explosive atmospheres - Part 31: Equipment dust ignition protection by enclosure "t"
EN 60529:1991 + A1:2000 + A2:2013	Degrees of protection provided by enclosures (IP-Code)

Hummel AG

Lise-Meitner-Straße 2, D-79211 Denzlingen
Telefon: ++49/(0)7666-91110-0
Telefax: ++49/(0)7666-91110-20
Info@hummel.com
www.hummel.com



Complying the UK- legislation:

The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012

Following standards are applied:

EN IEC 63000:2018

Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances

We declare that the above articles were developed and manufactured in the responsibility of Hummel AG.

This UKDoC has been prepared in accordance with the transitional arrangement. This allows a self-declaration based on an ATEX certificate to mark the products in hazardous areas with UKCA.

Ort, Datum
Denzlingen den

Hummel AG
08. NOV. 2022

i.V. Carsten Koch
Vice President Engineering
ATEX-Representative

i.A. Christian Latte
Team Leader Technical Compliance
Zulassungsbeauftragter