

VariaPro Rail



VariaPro
Rail

CABLE GLAND WITH RAILWAY APPROVAL



VariaPro CABLE GLANDS

VariaPro Rail

Suitable for use in railway transport

VariaPro Rail meets all requirements for use in rail transport. It has successfully passed the tests of the fire protection standards DIN EN 45545-2 and DIN EN 45545-3. VariaPro Rail can be used without restriction in all trains on the European rail network. The slim structure meets the requirement for space saving installation. Added to this is the ease of installation of the cable gland.

- // EMC connection as standard
- // High fire protection
- // Seal: EPDM
- // Extremely high strain relief
- // Impact resistance 2 x 7 Joule according DIN IEC 62444



VariaPro
Rail



VariaPro Rail


Metr.



Material	Nickel plated brass
Seal	EPDM
O-Ring	Silicone
Protection	IP 68 – 10 bar within the specified clamping range
Operating Temperature	-40 °C – 120 °C (-40 °F – 248 °F)



- // DIN EN 45545-2 and DIN EN 45545-3
- // Different wrench sizes from dome nut and body
- // Big clamping range due to reducers
- // No twisting of inserts and cables



AG	∅ mm	mm Dome Nut	mm Body	H mm	GL	Number
M 20x1,5	10,0–14,0 7,0–10,0	22	24	27	6	1.750.2000.50
M 25x1,5	14,5–18,0 11,0–14,5	27	30	29	7	1.750.2500.50
M 32x1,5	20,5–25,0 16,0–20,5	36	40	34	8	1.750.3200.50
M 40x1,5	26,5–32,0 21,0–26,5	46	50	40	8	1.750.4000.50

ELECTRIC COMPONENTS

Cable Glands

Polyamide-, Brass- and Stainless steel,
EMC-connections, Ex e-, Ex d-, Ex ta-Cable Glands



Circular Connectors

M 8 to M 40, INOX, TWILOCK, Industrial Ethernet,
Power, Signal, Hybrid-Connector, Moulded Cordsets



Conduit Systems

Corrugated Conduit Systems, Conduit Cable Glands, Angled Systems,
combined Cable Glands, Accessories



Cable Assembly

Moulded Signal- and Power Circular Connectors,
Servo Cables, Cable Sets



www.hummel.com

HUMMEL AG
Lise-Meitner-Straße 2
79211 Denzlingen
Germany
www.hummel.com

Tel. +49 (0) 76 66 / 9 11 10-0
Fax +49 (0) 76 66 / 9 11 10-20
E-Mail info@hummel.com

